Product information sheet

Revision date: 07/06/2010 Replaces:



FOOD INDUSTRY



Description

Industrial cleaner and decalcifier, based on especially selected inorganic acids and inhibitors.

General characteristics

Physical State	liquid
Odour	odourless
Viscosity (20°C)	1mPa.s
Vapour pressure (20°C)	2332 Pa
Relative density (20°C)	1,095 kg/L
рН	0.2
Ignition Point	/
Flash Point	/
Boiling point/boiling range	100°C
Melting point/melting range	0°C
Solubility in water	completely soluble

Properties

- Fast working.
- Economical in use.
- Efficient in use.
- Doesnot attack aluminium, stainless steel, PVC or rubber.

Safety measures





Applications

- Cleaning and decalcifying industrial machines, sanitary fittings, õ
- Donq use on calcareous stones as marble, concrete, limestone, õ

Directions for use

- Vaporise on the surface to be cleaned.
- Let act for some minutes. If necessary, rub of brush the surface.
- Rinse profound with clear water.
- In case of great pollution, repeat the treatment several times.
- In case of doubt, set a test on a less visible place of contact our technical support service.

Packaging - Quantity

- 25 L
- Keep in a sealed container in a closed, frost-free, ventilated room.
- Avoid metallic packing materials.
- Handle with care to avoid leakage.