



2550052 	Handschneidbrenner CP160 mit ZA 12m Arbeitszyklus 60% 150A, 4,5-5,0 bar, 220l/min HF
2550058 	Handbrennerkopf P150 Nr. 1 Info unter Details
2550051 	Maschinenbrennerkopf P150 Nr. 2 Info unter Details
2550005 	O-Ring (Dichtring) P150,EX100 Nr. 1b Info unter Details
2550006 	Gasverteiler P150,A140 Nr. 1c Info unter Details

2550020 	Elektrode HF P150 / EX100 kurz Nr. 4 Info unter Details Länge: 22mm
2550015 	Swirl Ring P150, EX100 Nr. 5 Info unter Details
2550025 	Plasmadüse standard 1,1mm Nr. 6 Info unter Details
2550026 	Plasmadüse standard 1,3mm Nr. 6 Info unter Details
2550027 	Plasmadüse standard 1,6mm Nr. 6 Info unter Details

2550029 	Plasmadüse standard 1,8mm Nr. 6 Info unter Details
2550045 	Kontaktschneiddüse (zylindrisch) 1,8 Nr. 7 Info unter Details
2550057 	Diffusor (Messing) P150,A140,A151 extra lang Nr. 8 Info unter Details
2550017 	Elektrode P150, EX100 lang Nr. 8a Info unter Details Länge: 43mm
2550031 	Plasmadüse 1,35mm lang P150/EX100 Nr. 10 Info unter Details

2550035 	Düsenhalter standard P150 Cebora Nr. 11 Info unter Details Länge: 53mm
2550040 	Kontaktdüsenhalter P150 Cebora Nr. 12 Info unter Details
2550056 	Haltemutter m. Nut P150/EX100/A90/140/151 Nr. 13 Info unter Details
2550055 	Abstandsfeder Kontaktdüsenhalter P150/EX100/A90/140/152 Nr. 14 Info unter Details
2550051 	Kontaktschild P150,EX100,A90,A140,A151 Nr. 16 Info unter Details

2550046 	Kontaktschild P150/EX100 Nr. 17 Info unter Details
2550044 	Kontaktschild P150,EX100,A90,A140 lang Nr. 20 Info unter Details
2550047 	Haltemutter f. Kontaktschild P150,EX100,A90,A140 Nr. 22 Info unter Details
2550050 	Abstandsfeder P150/EX100/A90/140 Nr. 23 Info unter Details
2550053 	Abstandhalter m. 2 Spitzen P150/EX100/A90/140 Nr. 24 Info unter Details

2550054 	Abstandhalter m. 4 Spitzen P150/EX100/A90/140 Nr. 25 Info unter Details
2550002 	Führungswagen Ceb P90/120/150 Traf 90/140/151 Nr. A Info unter Details
.2600016 	Zirkelset Cebora P90/150 Traf 90/140 Nr. B Info unter Details
2550063 	Plasmahandbrenner CEB P150 6m Arbeitszyklus 60% 150A, 4,5-5,0 bar, 220l/min HF
2550068 	Plasmahandbrenner CEB P150 12m Arbeitszyklus 60% 150A, 4,5-5,0 bar, 220l/min HF